
“STUDY OF REACTOR CONFIGURATION ON BIOGAS
PRODUCTION”

RAHUL CHAVAN¹
MAYUR MORE²
SANTOSH SAWANT³
VAIBHAV JAMDAR⁴
MAYUR MATKAR⁵
SIDDHESHWAR GAJARE⁶

^{1,2}Student Of Department of Civil Engineering, SCSCOE, Dhangwadi, Pune, India

rhlchavan205@gmail.com
mayurmore289@gmail.com
santoshsawant217@gmail.com
siddheshwargajare1@gmail.com

ABSTRACT—

Biomass resources such as cattle dung, agriculture wastes and other organic wastes have been one of the main energy sources for the mankind since the dawn of civilization. There is a vast scope to convert these energy sources into biogas. Biogas production is a clean low carbon technology for efficient management and conversion of fermentable organic wastes into clean cheap & versatile fuel and bio/organic manure.

Biogas obtained by anaerobic digestion of cattle dung and other loose & leafy organic matters of biomass wastes can be used as an energy source for various applications namely, cooking, heating, space cooling and refrigeration, electricity generation and gaseous fuel for vehicular application. The country ranks second in biogas utilization. Biogas can be generated and supplied round the clock in contrast to solar and wind, which are intermittent in nature. Biogas plants provide three-in-one solution of gaseous fuel generation, organic manure production and wet biomass waste disposal/management.

Biogas is a product of bio-methanation process when fermentable organic materials such as cattle dung, kitchens waste, poultry droppings, night soil wastes, agricultural wastes etc. are subjected to anaerobic digestion in the presence of methanogenic bacteria.

KEYWORDS: Reactor, Biogas

INTRODUCTION

“Super challenges” of 21st century is to provide clean and healthy environment as well as fulfillment of energy demand, a renewable energy supply because of depletion of Earth’s fossil fuel resources. The current way to produce, convert and consume energy throughout the world is not sustainable. Majority of existing practices of energy production consume non-renewable raw material for energy production such as coal, petroleum products which leads to release of pollutants in the environment.

A sustainable society requires renewable energy applications, reduction of dependency on fossil fuels and provide healthy environment. Wastewater treatment is an area in which those goals can be achieved simultaneously. As a result, there has been a trend shift recently, from disposing of waste to utilize it.

Renewable energy sources that meet domestic energy requirements play an important role in the energy and

against a potential of 12–17 million [Ravindranath 2009]. Biogas technology has brought benefits to the environment, economy and energy conservation. The development of sustainable biogas energy relies on the availability of local resources as a feed, environmental concern, and the local societal and economic conditions [Yanfei et. al, 2014]. The national project on biogas development was set up in 1981 for the promotion of biogas plants using cattle dung and other biomass waste to generate methane for house hold cooking and lighting [Yanfei et. al, 2014].

The waste treatment processes can be made sustainable if energy and other by-products are recovered during treatment. Hence there is a need of paradigm shift in the concept of waste treatment; instead of treatment it can be considered as recourse recovery process. In an anaerobic waste treatment, the microbial fermentation of organic matter present in the wastewater has a potential to produce biogas

(CO₂ and CH₄), bio-ethanol, hydrogen gas and electricity. Considering glucose as the principal building block of biomass, the stoichiometric reactions of different bi-products are shown below [Lens et. al 2005].

For many years the basis behind using biogas technology was the search for environmental friendly sources of energy. With passage of time, it gains additional importance as technology for solid and liquid waste treatment. In developing countries biogas addresses the problems of scarcity of firewood, indoor air related health problems due to burning of biomass and lack of efficient and affordable lighting sources. It can substitute chemical fertilizers, improve soil and boost agricultural production. Environmentally, it can save fuel wood and through that help save vulnerable forest, soil, water and clean up the environment. In rural areas it reduce the use of forest resources for household energy purposes and thus slow down deforestation, soil degradation and resulting natural catastrophes like flooding or desertification. [Khoiyangba, 2011].


METHODOLOGY:

3.1 Methodology Adopted for Preliminary Study:

The study was conducted in close accordance with the objectives. Three biogas plants were selected randomly to understand the working and biogas technology as a whole.

3.2 Features

- The Dimensions of biogas plants are
 - a) Tank- outer dia.-2m
Inner dia-1.7m
 - b) Digester(Dome)-1.6m
 - c) Height -3m
 - d) Height of Dome-1m
- The primary feedstock for anaerobic digestion is cow dung.



Floating-Drum Plant

Results and Discussion

We took 2 plants of floating dome which were selected randomly .the readings were taken on morning and evening i.e. on deflection of floating dome.

1 Kg of dung can produce 40 liters of gas.

Volume of biogas plant (V) = 6.03m³

Water to Dung ratio is 1: 1

Hydraulic Retention Time (HRT) is 40 days


Therefore feed required is calculated as V/40

Therefore cow dung required V/40*2

Table No. 2 (floating dome plant)

Day	Morning Deflected Height	Evening Height*	Evening Feed	Theoretical gas to be produced	Actual gas produced	Height* in	Height* kg
1	0.4 0.68	0.64	0.34	22	0.88		
2	0.37 0.66	0.70	0.33	24	0.96		
3	0.42 0.64	0.74	0.32	22	0.88		
4	0.35 0.68	0.69	0.34	25	1.00		
5	0.34 0.68	0.68	0.34	24	0.96		
6	0.37 0.70	0.72	0.35	25	1.00		

7	0.36 0.64	0.68	0.32	22	0.88
8	0.36 0.72	0.72	0.36	25	1.0
9	0.35 0.66	0.68	0.33	25	1.0



References

1. N.L. Panwar, S.C. Kaushik and Surendra Kothari., “Role of renewable energy sources in environmental protection: A review, Renewable and Sustainable Energy” Reviews vol. 15, pp. 1513–1524, 2011.
2. Ravindranath NH and Hall DO., “Biomass energy and environment a developing country perspective from India” oxford, United Kingdom: Oxford University Press. Renewable Energy Association ,2009.
3. Kurchania A.K., Panwar N. I., Savita P. D., “Design and Performance evaluation of biogas stove for community cooking application” International journal of sustainable energy 29(2): 116-23. 2010.
4. Census of India, 2001.
<http://www.censusindia.gov.in>

5. Ministry of New and Renewable Energy (MNRE). New Delhi: Government of India; 2007 /<http://mnes.nic.in/S>
6. Ravindranath N.H. and Balachandra P. “Sustainable bio-energy for India: Technical, economic and policy analysis”. Energy (2009),doi:10.1016/j.energy.2008.12.012
7. Yanfei Deng, Jiuping Xu, Ying Liu and Karen Mancl. “Biogas as a sustainable energy source in China: Regional development strategy application and decision making” Renewable and Sustainable Energy Reviews 35 pp. 294–303, 2014.
8. Lens, P., wesermann, P., Haberbauer M., Moreno A., (2005). Biofuels for fuel cells. IWA publishing London.
9. R.S. Khoiyangba, (2011). Environmental Implications of Biomethanation in Conventional Biogas Plants. Iranica Journal of Energy & Environment 2 (2): 181-187, 2011.
10. Eze J.I. and Agbo K.E., (2010) Studies on the microbial spectrum in anaerobic biomethannization of cow dung in 10 m3 fixed dome biogas digester, Int. J. of the Phy. Sci., 5(8), 1331-1337.
11. Divya D., Gopinath L.R. and Merlin Christy P.,(2014). A Review on Trends issues and Prospects for Biogas Production in Developing Countries. International Research Journal of Environment Sciences, Vol. 3(1), 62-69, January (2014)
12. Background Paper of International Conference and Business Meet on ‘Non Fossil Fuel Generation’ organized jointly by CII, NHPC and NPC of India Ltd. (New Delhi, 2001).
13. <http://www.vasudha-india.org/energy-services-to-the-poor-are-they-truly-subsidized/>

14.

<http://www.iitk.ac.in/3inetwork/html/reports/IIR2007/06-Electrification.pdf>

15. Harilal S. Sorathia, Dr. Pravin P. Rathod, Arvind S. Sorathiya (2012). Biogas generation and factors affecting the biogas generation - A REVIEW STUDY

16.

https://en.wikipedia.org/wiki/Anaerobic_digestion

17. Karve .A.D. (2007), Compact biogas plant, a low cost digester for biogas from waste starch.
<http://www.arti-india.org>.

18. Karve of Pune A.D (2006). Compact biogas plant compact low-cost digester from waste starch.
www.bioenergylists.org.

19. Shalini sing, sushil kumar, M.C. Jain, Dinesh kumar (2000), the increased biogas production using microbial stimulants.

20. Hilkih Igoni, M. F. N. Abowei, M. J. Ayotamuno and C. L. Eze (2008), Effect of Total Solids Concentration of Municipal Solid Waste on the Biogas Produced in an Anaerobic Continuous Digester.

21. Tanzania Traditional Energy Development and Environment Organization (TaTEDO), BIOGAS TECHNOLOGY- Construction, Utilization and Operation Manual.

22. R. Bunsen, H.E. Roscoe “Gasometry: comprising the leading physical and chemical properties of gases,” translated by Henry Roscoe. London: Walton and Maberly, 1857